

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1568	(e\$mail (electronic near mail)) with (invok\$3 start\$3 initiat\$3) with (application program)	US-PGPUB; USPAT	OR	ON	2005/11/21 16:15
L3	135	(e\$mail (electronic near mail)) with (invok\$3 start\$3 initiat\$3) with (application program) and @pd<"20007011"	US-PGPUB; USPAT	OR	ON	2005/11/21 16:15
L4	110	(e\$mail (electronic near mail)) with (invok\$3 start\$3 initiat\$3) with (application program) and @pd<"20000711"	US-PGPUB; USPAT	OR	ON	2005/11/21 16:33
L5	1	("6425002").URPN.	USPAT	OR	OFF	2005/11/21 16:33
L6	49	(e\$mail (electronic near mail)) with (invok\$3 start\$3 initiat\$3 launch\$3) near (application program) and @pd<"20000711"	US-PGPUB; USPAT	OR	ON	2005/11/21 16:34
S1	86	((stor\$3 or sav\$3) with (e-mail or "electronic mail") with (database)) and (query\$3 with database)	USPAT	OR	OFF	2003/05/27 13:46
S2	4	((stor\$3 or sav\$3) with (e-mail or "electronic mail") with (database)) and (query\$3 with database) and ((link\$3) with (e-mail or "electronic mail") with (file\$1 or application\$1))	USPAT	OR	OFF	2003/05/27 16:08
S3	35	((stor\$3 or sav\$3) with (e-mail or "electronic mail") with (database)) and (query\$3 with database) and ((link\$3 or attach\$3) with (file\$1 or application\$1))	USPAT	OR	OFF	2003/05/27 13:49
S4	3	"6122632".URPN.	USPAT	OR	OFF	2003/05/27 13:58
S5	0	"6415290".URPN.	USPAT	OR	OFF	2003/05/27 13:59
S6	57	"5826269".URPN.	USPAT	OR	OFF	2003/05/27 13:59
S7	2	"6185551".URPN.	USPAT	OR	OFF	2003/05/27 14:07
S8	3	"6128646".URPN.	USPAT	OR	OFF	2003/05/27 14:07
S9	9	"6003070".URPN.	USPAT	OR	OFF	2003/05/27 14:08
S10	0	(microsoft near outlook) with database same query\$3	USPAT	OR	OFF	2003/05/27 14:09
S11	0	(outlook) with database same query\$3	USPAT	OR	OFF	2003/05/27 14:09
S12	392	(e-mail or "electronic mail") with (initiat\$3 or start\$3 or action or manag\$5) with (task or process or application)	USPAT	OR	OFF	2003/05/27 16:13

S13	2	(e-mail or "electronic mail") with (job near track\$3)	USPAT	OR	OFF	2003/05/27 16:14
S14	3	(e-mail or "electronic mail") with (task near track\$3)	USPAT	OR	OFF	2003/05/27 16:16
S15	3	(e-mail or "electronic mail") same (task near track\$3)	USPAT	OR	OFF	2003/05/27 16:16
S16	9	(e-mail or "electronic mail") same (application near track\$3)	USPAT	OR	OFF	2003/05/27 16:19
S17	22	(e-mail or "electronic mail") with trigger with (event or task)	USPAT	OR	OFF	2003/05/27 16:20
S18	6	"6065012".URPN.	USPAT	OR	OFF	2003/05/27 16:26
S19	4	"6185551".URPN.	USPAT	OR	OFF	2004/02/19 16:46
S20	11	("5781901" "6108688" "6175859" "6185551" "6202086" "6226670" "6289212" "6308206" "6314454" "6332164" "6393456").PN.	USPAT	OR	OFF	2004/02/19 16:52
S21	39	application with invoc\$3 with "e-mail"	USPAT; EPO; JPO	OR	ON	2004/02/19 17:26
S22	14	"6256666".URPN.	USPAT	OR	OFF	2004/02/19 17:34
S23	8	"6065012".URPN.	USPAT	OR	OFF	2004/02/19 17:37
S24	2	"6442546".URPN.	USPAT	OR	OFF	2004/02/19 17:38
S25	18	("5303343" "5333299" "5339413" "5475836" "5487167" "5491813" "5513365" "5546541" "5680618" "5727212" "5802511" "5842211" "5903890" "5911078" "5915131" "6065012" "6157959" "6236997").PN.	USPAT	OR	OFF	2004/02/19 17:41
S26	44	email with alias\$3	USPAT	OR	ON	2004/10/13 16:04
S27	34	email with alias\$3 and @ad<"20000711"	USPAT	OR	ON	2004/10/13 16:04
S28	206	(invoc\$3 or run\$4 or execut\$3 or start\$3) with (application or program or task) with receiv\$3 with (email or "e-mail" or "e mail" or "electronic mail")	USPAT	OR	OFF	2004/10/14 14:42
S29	161	(invoc\$3 or run\$4 or execut\$3 or start\$3) with (application or program or task) with receiv\$3 with (email or "e-mail" or "e mail" or "electronic mail") and @ad<"20000711"	USPAT	OR	OFF	2004/10/14 14:42

S30	186	(invok\$3 or run\$4 or execut\$3 or start\$3) with (application or program or task) with receiv\$3 with (email or "e-mail" or "e mail" or "electronic mail") and @ad<"20000711"	USPAT	OR	ON	2004/10/14 14:42
S31	69	(invok\$3 or run\$4 or execut\$3 or start\$3) with (application) with receiv\$3 with (email or "e-mail" or "e mail" or "electronic mail") and @ad<"20000711"	USPAT	OR	ON	2004/10/14 14:47
S32	49	(invok\$3 or execut\$3 or start\$3) with (application) with receiv\$3 with (email or "e-mail" or "e mail" or "electronic mail") and @ad<"20000711"	USPAT	OR	ON	2004/10/14 14:48
S33	0	thinkdoc	USPAT	OR	ON	2004/10/15 15:37
S34	2	"6442546".URPN.	USPAT	OR	OFF	2004/10/15 15:45
S35	0	"man in the middle" with ("e-mail" or "email" or "e mail" or "electronic mail")	USPAT	OR	ON	2004/10/15 15:46
S36	17147	("e-mail" or "email" or "e mail" or "electronic mail")	USPAT	OR	ON	2004/10/15 15:46
S37	0	("e-mail" or "email" or "e mail" or "electronic mail") with transparent adj server	USPAT	OR	ON	2004/10/15 15:46
S38	3801	("e-mail" or "email" or "e mail" or "electronic mail") with server	USPAT	OR	ON	2004/10/15 15:46
S39	139	("e-mail" or "email" or "e mail" or "electronic mail") with server with between with clients	USPAT	OR	ON	2004/10/15 15:46
S40	109	("e-mail" or "email" or "e mail" or "electronic mail") with server with between with clients and @ad<"20000711"	USPAT	OR	ON	2004/10/15 15:47
S41	0	("e-mail" or "email" or "e mail" or "electronic mail") with server with between with clients same databae and @ad<"20000711"	USPAT	OR	ON	2004/10/15 15:47
S42	21	("e-mail" or "email" or "e mail" or "electronic mail") with server with between with clients same database and @ad<"20000711"	USPAT	OR	ON	2004/10/15 15:47
S43	2	("6442546").URPN.	USPAT	OR	OFF	2005/05/04 15:52
S44	4131	(invok\$3 start\$3 enter\$3) with (application program task) with (e\$mail message) and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 15:56

S45	1107	(invok\$3 start\$3 enter\$3) with (application program task) with (incom\$3 receiv\$3) with (e\$mail message) and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 15:57
S46	52	(invok\$3 start\$3 enter\$3 begin\$4) with (application program task) with (incom\$3 receiv\$3) with (e\$mail message) and accept\$3 with (e\$mail message) with application and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 15:58
S47	7	(invok\$3 start\$3 enter\$3 begin\$4) with (application program task) with (incom\$3 receiv\$3) with (e\$mail message) same accept\$3 with (e\$mail message) with application and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:02
S48	16170	xerox.as. and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:04
S49	20425	xerox.as. e\$mail near invok\$3 with application and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:04
S50	0	xerox.as. and e\$mail near invok\$3 with application and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:05
S51	0	xerox.as. and e\$mail with invok\$3 with application and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:05
S52	16805	xerox.as. and e\$mail with iwith application with server and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:05
S53	5	xerox.as. and e\$mail with application with server and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:06
S54	3279980	xerox.as. and e\$mail (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:06
S55	131	xerox.as. and e\$mail and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:10
S56	0	xerox.as. and smith.in. and bellotti.in. and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:11

S57	302	xerox.as. and smith.in. and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:10
S58	10	xerox.as. and smith-i\$.in. and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:10
S59	0	xerox.as. and bellotti.in. and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:11
S60	4	xerox.as. and bellotti.in.	US-PGPUB; USPAT	OR	ON	2005/05/04 16:14
S61	875	accept\$3 with (e\$mail message) with application	US-PGPUB; USPAT	OR	ON	2005/05/04 16:14
S62	0	accept\$3 with (e\$mail message) with based near application	US-PGPUB; USPAT	OR	ON	2005/05/04 16:15
S63	32	accept\$3 with (e\$mail message) with particular with application	US-PGPUB; USPAT	OR	ON	2005/05/04 16:15
S64	20	accept\$3 with (e\$mail message) with particular with application and (@ad<"20000711" @prad<"20000711")	US-PGPUB; USPAT	OR	ON	2005/05/04 16:15
S65	1	("6425002").URPN.	USPAT	OR	OFF	2005/05/04 16:24
S66	44	"0031964"	DERWENT	OR	OFF	2005/05/04 17:18
S67	0	"0031964" and jandel.in.	DERWENT	OR	OFF	2005/05/05 13:04
S68	1	"5666531".pn.	USPAT	OR	OFF	2005/05/05 13:05
S69	18	(US-5704017-\$ or US-5802253-\$ or US-5826269-\$ or US-6003070-\$ or US-6065012-\$ or US-6122632-\$ or US-6128646-\$ or US-6185551-\$ or US-6216122-\$ or US-6256666-\$ or US-6415290-\$ or US-6442546-\$ or US-6604079-\$ or US-6629131-\$ or US-6643685-\$ or US-6721785-\$ or US-6775689-\$ or US-6425002-\$).did.	USPAT	OR	OFF	2005/05/05 14:09
S70	5	S69 and reply with message	US-PGPUB; USPAT	OR	OFF	2005/05/05 14:37
S71	8	email adj address with application with domain	US-PGPUB; USPAT	OR	OFF	2005/05/05 14:37